Health Profile Lyon County, Nevada 2001

Bureau of Community Health August, 2002

Kenny C. Guinn, Governor Michael J. Willden, Director Department of Human Resources Yvonne Sylva, Administrator State Health Division

Health Profile Lyon County, Nevada 2001

Bureau of Community Health August, 2002

> Lei Chen, Ph.D. Drew Mather, M.S. Sherry Torgerson, B.S.

Bureau of Community Health, Nevada State Health Division 505 East King Street, Room 304 Lyon County, Nevada 89701 (775) 684-5900

ACKNOWLEDGEMENTS

Report prepared by (in alphabetic order): Lei Chen, Ph.D.

Disease Control Specialist Bureau of Community Health

Drew Mather, M.S. Health Resource Analyst

Bureau of Health Planning and Statistics

Sherry Torgerson, B.S. Disease Control Specialist Bureau of Community Health

Data provided by (in alphabetic order):

<u>Bureau Of Health Planning And Statistics</u>

William Lee, B.A., Biostatistician

Tim Pollard, B.A., Health Resource Analyst

Brian Wellins, B.A., Biostatistician

Bureau of Community Health

Kate McNeese, Administrative Assistant

Sherry Torgerson, B.S., Disease Control Specialist **Lee Zdanowicz**, M.S., B.B.A., Management Analyst

Division of Mental Health and Developmental Services

Rural Clinics Community Outpatient Services

Jerry Cinani, Director, Program Evaluation

Special Thanks to: Mary Guinan, M.D., Ph.D.

Executive Director

Nevada Public Health Foundation

Randall Todd, Dr. P.H. State Epidemiologist

Nevada State Health Division

Richard Whitley, M.S.

Bureau Chief

Bureau of Community Health

Wei Yang, Ph.D., State Biostatistician Bureau of Health Planning and Statistics

CONTENTS

ACKNOWLE	DGEMENTS	i
CONTENTS		ii
LIST OF TAE	BLES	iii
LIST OF FIG	URES	iv
EXECUTIVE	SUMMARY	v
NEVADA MA	۱P	vi
HEALTH PR	OFILE	1
DEM	IOGRAPHICS	1
	2001 DEMOGRAPHICS	1
	1991 - 2001 POPULATION CHANGE	2
	2001 - 2010 POPULATION PROJECTIONS	3
SOC	IOECONOMIC STATUS	4
BIRT	THS	5
DEA	THS	6
CHR	ONIC DISEASES: CONDITIONS AND RISK FACTORS	8
INFE	CTIOUS DISEASES	9
INJU	IRIES	10
PRE	VENTIVE SERVICES USE	11
	IMMUNIZATION COVERAGE LEVELS IN CHILDREN	11
	ADULT PREVENTIVE SERVICES USE	11
MEN	ITAL HEALTH	12
TECHNICAL	NOTES	13
1.	RACE AND ETHNICITY	13
2.	POPULATION DATA	13
3.	CRUDE RATE	13
4.	AGE-AJUSTED MORTALITY RATE	13
5.	DATA CONFIDENTIALITY	13
6.	SAMPLE SIZE FOR BRFSS IN LYON COUNTY	13
7.	POVERTY	13
REFERENCE	ES	14

LIST OF TABLES

TABLE 1	Population by Gender, Age Group, and Race/Ethnicity, 2001
TABLE 2	Population Change from 1991 to 2001 by Gender, Age Group, and Race/Ethnicity2
TABLE 3	Population Projected Change from 2001 to 2010 by Gender, Age Group, and Race/Ethnicity
TABLE 4	Socioeconomic Status4
TABLE 5	Births, 1999-20015
TABLE 6	Infant Death Rates per 1,000 Live Births, 1999-20016
TABLE 7	Age-adjusted Mortality Rates per 100,000 Population, 1999-20016
TABLE 8	Top Ten Leading Causes of Death by Age Group for Two-Year Period (1999-2000)
TABLE 9	Reported Infectious Disease Case Rates per 100,000 Population, 1999-20019
TABLE 10	Injury Death Rate per 100,000 Population, 1999-200110
TABLE 11	Mental Health Case Loads, FY2001-FY200212

LIST OF FIGURES

FIGURE 1	Population Distribution by Race/Ethnicity, 2001	1
FIGURE 2	Population Increase (%) from 1991 to 2001 by Gender	2
FIGURE 3	Population Increase (%) from 1991 to 2001 by Age Group	2
FIGURE 4	Population Increase (%) from 1991 to 2001 by Race/Ethnicity	2
FIGURE 5	Population Increase (%) from 2001 to 2010 by Gender	3
FIGURE 6	Population Increase (%) from 2001 to 2010 by Age Group	3
FIGURE 7	Population Increase (%) from 2001 to 2010 by Race/Ethnicity	3
FIGURE 8	Infant Death Rates per 1,00 Live Births, 2001	6
FIGURE 9	Age-Adjusted Mortality Rates, 2001	6
FIGURE 10	Leading Chronic Disease Hospital Admissions, 2001	8
FIGURE 11	Smoking Rate (%), 2001	8
FIGURE 12	Alcohol Beverage Consumption Rate (%), 2001	8
FIGURE 13	Physical Activity & Fitness (%), 2000	8
FIGURE 14	High Blood Pressure (%), 2001	8
FIGURE 15	No Cholesterol Check (%), 2001	8
FIGURE 16	Estimated Vaccination Coverage Level with 4:3:1 among Children at 24 Month of Age, 1999-2001	
FIGURE 17	Adult Preventive Services Use (%), 2000 & 2001	.11
FIGURE 18	Mental Health Case Loads, FY2001-FY2002	.12

HEALTH PROFILE LYON COUNTY, NEVADA, 2001

EXECUTIVE SUMMARY


This report was prepared by the Bureau of Community Health (BCH), Nevada State Health Division. The purpose of the report is to provide information to policy makers, grant writers, medical providers, and administrators, and other parties interested in the health status of Lyon County and the State of Nevada. The data is organized into sections by providing basic demographics, socioeconomic status, births, deaths, chronic diseases and risk factors, infectious diseases, injuries, preventive services for children and adults. For most health indicators, data for Lyon County were compared to the statewide data and Healthy People (HP) 2010 targets.

Lyon County had a 74% increases in population from 1991 to 2001. In 2001, the population of Lyon County was 37,329 accounting for 1.8% of the total state population (2,132,498) of Nevada. Lyon County has a higher percentage of non-white population, a lower median income and a higher unemployment rate compared to the State of Nevada. Lyon County has experienced greater population growth than the state as a whole and will continue to grow.

The following table is a summary of the current health status of Lyon County compared with HP 2010 targets. Details can be found later in the report under the respective sections.

Health Indicators	HP 2010 Targets Met	HP 2010 Not Met
	*	A
	Teen Mothers	1. Low Birth Weight
BIRTHS		2. Very Low Birth Weight
DIKTHS		3. Pre-term Birth
		Prenatal care in the 1st trimester
	Infant Mortality rate	Mortality rate due to all cancers
	Neonatal infant mortality rate	Mortality rate due to trachea, bronchus,
		& lung cancer Mortality rate due to breast cancer
DEATHS		Mortality rate due to breast cancer Mortality rate due to cervical cancer
	Mortality rate due to prostate cancer Mortality rate due to COPD	Mortality rate due to cervical cancer Mortality rate due to colorectal cancer
	*	,
	Mortality rate due to Diabetes Mellitus	Mortality rate due to stroke
		Cigarette smoking rate
CHRONIC DISEASES		Physical inactivity rate
MAJOR RISK		% of people trying to lose w eight
FACTORS		High blood pressure rate
		Cholesterol checking rate
	AIDS Chlamydia	Campylobacteriosis
	Syphilis (primary & secondary)	
	4. Hepatitis A	
	5. Hepatitis B	
INFECTIOUS	6. Hepatitis C	
DISEASES	7. Mumps	
	8. Rubella	
	Meningococcal disease	
	10. E. coli 0157 Diarrhea	
	To. E. con o 137 Blannea	
		1. Homicide
INJURIES		2. Suicide
II WOOI VILO		Motor Vehicle Injuries
		Lucrosia di Constanti di Consta
	1. Mammogram for w omen 40 years and older in the preceding 2 years	1. Immunization Coverage in 2-year old children
		Pap smears for adult women
PREVENTIVE		Pneumococcal pneumonia vaccination
SERVICES USE		for adults
		Influenza vaccination for adults in the
		past 12 months

NEVADA MAP



HEALTH PROFILE DEMOGRAPHICS

2001 DEMOGRAPHICS

Population in 2001:

Lyon County 37,329

Nevada 2,132,498

Percent of total Nevada population:

1.8%

Population density (people per square mile):

Lyon County 17


Nevada 18

Data source: Bureau of Health Planning and Statistics, Nevada State Health Division, 2002

TABLE 1 Population by Gender, Age Group, and Race/Ethnicity, 2001

		Lyon (County	Nevada		
			% of Total		% of Total	
		Population	Population	Population	Population	
Ä	Male	18,899	51%	1,086,325	51%	
GENDER	Female	18,430	49%	1,046,173	49%	
	Total	37,329	100%	2,132,498	100%	
_	<1	470	1%	31,028	1%	
GROUP	1-17	9,641	26%	515,040	24%	
GR	18-64	22,086	59%	1,352,890	63%	
AGE	65+	5,132	14%	233,541	11%	
	Total	37,330	100%	2,132,499	100%	
>	Native	805	2%	23,015	1%	
<u>C</u>	Asian	266	1%	106,104	5%	
롣	Black	223	1%	145,888	7%	
RACE/ETHNICITY	White	31,834	85%	1,422,260	67%	
SACI	Hispanic	4,201	11%	435,232	20%	
<u> </u>	Total	37,329	100%	2,132,499	100%	

 ${\it Data \, source:} \,\, {\it Bureau \, of \, Health \, Planning \, and \, \, Statistics, \, Nevada \, State \, Health \, Division, \, 2002}$




- In 2001, Lyon County had a similar distribution by gender compared to the State of Nevada.
- Lyon County has a higher percentage of population in the age group 1-17 (26%) compared to the State of Nevada (24%), a lower percentage of the population in the age group 18-64 (59%) compared to the State of Nevada (63%), and a higher percentage 65 years and over (14%) compared to the State of Nevada (11%) in 2001.
- Lyon County has a lower rate of non-white population (15%) compared with the State of Nevada (33%) in 2001.


1991 - 2001 POPULATION CHANGE


TABLE 2 Population Change from 1991 to 2001 by Gender, Age Group, and Race/Ethnicity

		Ly	on County			Nevada			
				%			%		
		1991	2001	Increase	1991	2001	Increase		
ER	Male	10,912	18,899	73%	661,625	1,086,325	64%		
GENDER	Female	10,518	18,430	75%	637,735	1,046,173	64%		
B	Total	21,430	37,329	74%	1,299,360	2,132,498	64%		
Δ.	<1	347	470	35%	21,660	31,028	43%		
GROUP	1-17	5,516	9,641	75%	302,839	515,040	70%		
G	18-64	12,402	22,086	78%	837,255	1,352,890	62%		
AGE	65+	3,165	5,132	62%	137,606	233,541	70%		
	Total	21,430	37,330	74%	1,299,360	2,132,499	64%		
>	Native	589	805	37%	18,163	23,015	27%		
ICI	Asian	150	266	77%	42,818	106,104	148%		
王	Black	79	223	182%	84,032	145,888	74%		
RACE/ETHNICITY	White	18,864	31,834	69%	999,544	1,422,260	42%		
ACE	Hispanic	1,747	4,201	140%	154,803	435,232	181%		
<u></u>	Total	21,429	37,329	74%	1,299,360	2,132,499	64%		

Data source: Bureau of Health Planning and Statistics, Nevada State Health Division, 2002








- From 1991-2001, Lyon County had a larger population increase rate (74%) compared to the State of Nevada (64%).
- The population in the age category 1-64 increased the most over this time.
- The race/ethnic groups with the greatest increase have been the Black population (182%) and the Hispanic population (140%).


2001 - 2010 POPULATION PROJECTIONS


TABLE 3 Population Projected Change from 2001 to 2010 by Gender, Age Group, and Race/Ethnicity

		Lyo	on County		Nevada			
				%			%	
		2001	2010	Increase	2001	2010	Increase	
ER	Male	18,899	22,579	19%	1,086,325	1,356,489	25%	
GENDER	Female	18,430	22,596	23%	1,046,173	1,328,363	27%	
B	Total	37,329	45,175	21%	2,132,498	2,684,853	26%	
۵	<1	470	555	18%	31,028	40,232	30%	
GROUP	1-17	9,641	9,498	-1%	515,040	628,131	22%	
	18-64	22,086	28,017	27%	1,352,890	1,689,759	25%	
AGE	65+	5,132	7,106	38%	233,541	326,731	40%	
	Total	37,330	45,175	21%	2,132,499	2,684,853	26%	
>	Native	805	1,210	50%	23,015	35,517	54%	
ICI	Asian	266	427	60%	106,104	172,683	63%	
王	Black	223	349	57%	145,888	190,606	31%	
Ë	White	31,834	37,401	17%	1,422,260	1,608,666	13%	
RACE/ETHNICITY	Hispanic	4,201	5,788	38%	435,232	677,380	56%	
<u></u>	Total	37,329	45,175	21%	2,132,499	2,684,853	26%	

Data source: Nevada State Demographer, 2002







- Population projections for 2010 predict that Lyon County will grow at a lower rate (21%) than the State of Nevada (26%).
- Population projections for 2010 predict that the population for all race/ethnic groups will increase, as will all age categories except 1-17 years of age.

SOCIOECONOMIC STATUS

TABLE 4 Socioeconomic Status

		Lyon County	Nevada
	Total households (2000) ³	13,007	751,165
	Family households (families) (%) ⁴	73%	66%
	Nonfamily households (%) ⁵	27%	34%
Households (2000) ¹	Households with individuals under 18 years (%)	37%	35%
	Households with individuals 65 years and over (%)	26%	21%
	Average household size ⁶	2.61	2.62
Income (2000)	Median household income	\$33,684.00	\$39,280.00
mcome (2000)	People of all ages in poverty (%) ⁸	11%	11%
	2001	7.2	5.3
Unemployment rate (%) ²	2000	6.9	4.1
	1999	8.1	4.4
	1 110 0		· · · · · · · · · · · · · · · · · · ·

Data source: 1 US Census Bureau, Census 2000

Note

- Lyon County had a higher percentage of households (73%) compared to the State of Nevada (66%) in 2000 with a greater percentage of households with individuals under 18 years (37%) compared to the State of Nevada (35%) and a greater percentage of households with individual 65 years and over (26%) compared to the State of Nevada (21%).
- The median household income in Lyon County was lower than in the State of Nevada in 2000.
- Lyon County consistently had higher unemployment rates from 1999 to 2001 compared to the State of Nevada.

² Nevada Department of Employment, 2002

³A household includes all of the people who occupy a housing unit. People not living in households are classified as living in group quarters.

⁴A family includes a householder and one or more people living in the same household who are related to the householder by birth, marriage, or adoption. All people in a household who are related to the householder are regarded as members of hos or her family.

⁵A householder living alone or with nonrelatives only.

⁶A measure obtained by dividing the number of people in households by the total number of households (or householders).

⁷Represents 90% confidence interval

⁸Poverty can be determined based on the poverty thresholds (see technical notes for POVERTY)

BIRTHS

TABLE 5 Births, 1999-2001

TABLE 5 Bil (115, 1999-2001	1						l
	1999		2000		2001		Healthy People
	Lyon County	Nevada	Lyon County	Nevada	Lyon County	Nevada	2010 Targets
Total births	380	28,911	439	30,130	391	31,297	No target
Births by race/ethnicity							
Native	15	380	14	372	9	399	No target
Asian	⁶ N A	1,586	⁶ N A	1,894	9	2,031	No target
Black	⁶ NA	2,077	⁶ NA	2,255	0	2,389	No target
White	290	15,244	356	15,303	301	15,264	No target
Hispanic	66	9,153	60	10,007	70	10,831	No target
Other	5	471	⁶ N A	299	⁶ NA	383	No target
LBW (%) ¹	7.9%	7.6%	5.9%	7.2%	9.2%	7.6%	5.0%
VLBW (%) ²	⁶ N A	1.2%	⁶ NA	1.3%	1.3%	1.0%	0.9% 🛕
Preterm births (%) ³	9.5%	10.2%	8.0%	9.8%	11.0%	10.0%	7.6%
Teen mothers (per 1,000) ⁴	92.1	48.2	56.9	44.3	23.0	40.8	43 ★
Older mothers (%) ⁵	3.2%	2.2%	1.8%	2.1%	1.3%	2.3%	No target
Unmarried mothers (%)	31.3%	33.4%	30.3%	34.0%	30.9%	32.2%	No target
Prenatal care in 1 st trimester (%)	75.0%	68.7%	79.0%	70.6%	81.6%	72.4%	90.0% 🛕

Data source: Bureau of Health Planning and Statistics, Nevada State Health Division, 2002

- ▲ Indicates "HP 2010 tareget was not met" for 2001 for the county
- The total births for residents of Lyon County in 2001 accounted for 1.2% of the total births in Nevada.
- The HP 2010 target for teen mothers per 1,000 live births was met by Lyon County and the State of Nevada in 2001.
- The HP 2010 targets for LBW, VLBW, preterm births, and prenatal care in the first trimester were not met by Lyon County in 2001 and the State of Nevada.

¹LBW: Low Birth Weight (<2,500 grams);

²VLBW: Very Low Birth Weight (<1,500 grams); ³Preterm births: Births are <37 weeks of gestation;

⁴Teen mothers: M other's age is younger than 18 years old;

⁵Older mothers: Mother is older than 40;

⁶NA indicates data that is unavailable due to cell size less than 5. See technical notes for data confidentiality.

[★] Indicates "HP 2010 tareget was met" for 2001 for the county

DEATHS

TABLE 6 Infant Death Rates per 1,000 Live Births, 1999-2001

	19	1999		2000		2001		onlo
Cause of Death	Lyon		Lyon		Lyon		Healthy Pe 2010 Targ	
	County	Nevada	County	Nevada	County	Nevada		
Infant m ortality rate ¹	0.0	6.6	¹NA	6.5	0.0	5.7	4.5	*
Neonatal infant mortality rate ²	0.0	3.9	6.8	4.0	0.0	2.9	2.9	*
Post-neonatal mortality rate ³	0.0	2.7	0.0	2.4	0.0	2.7	1.2	*

 ${\it Data \ source:} \ {\it Bureau \ of \ Health \ Planning \ and \ Statistics, \ Nevada \ State \ Health \ Division, \ 2002$

TABLE 7 Age-adjusted Mortality Rates per 100,000 Population, 1999-2001


_	19	99	20	00	2001		Healthy People
Cause of Death	Lyon County	Nevada	Lyon County	Nevada	Lyon County	Nevada	2010 Targets
Diseases of the heart	254.0	267.8	244.1	246.3	237.9	257.4	No target
All Cancers	220.5	200.9	264.9	204.5	189.2	203.5	159.9
Trachea, Bronchus, & Lung	69.3	62.5	79.9	62.8	54.2	63.0	44.9
Breast	51.6	25.9	34.8	25.8	39.0	24.8	22.3
Cervical	0.0	2.4	0.0	3.4	4.2	2.9	2.0
Colorectal	18.6	21.7	17.9	23.6	24.8	22.0	13.9
Prostate	27.8	28.8	¹ NA	25.1	11.5	30.1	28.8 *
CLRD*	70.4	63.7	52.0	59.1	0.0	0.0	60.0 *
Stroke	61.6	57.2	44.7	54.0	54.7	55.3	48.0
Diabetes Mellitus	34.5	16.9	34.4	14.5	42.1	17.3	45.0 *
Influenza and Pneumonia	¹ NA	22.1	19.0	21.2	46.6	22.4	No target
All Deaths	895.6	914.1	953.7	881.3	972.9	923.4	No target


Data source: Bureau of Health Planning and Statistics, Nevada State Health Division, 2002

Age adjusted to the year 2000 standard population for all rates and 2010 targets

'NA indicates data that is unavailable due to cell size less than 5. See technical notes for data confidentiality.

- ★ Indicates "HP 2010 tareget was met" for 2001 for the county
- ▲ Indicates "HP 2010 tareget was not met" for 2001for the county
- * CLRD: Chronic Lower Respiratory Disease





- The HP 2010 objectives for age-adjusted mortality rates for all cancers, trachea, bronchus, and lung cancer, breast cancer, cervical cancer, colorectal cancer, and stroke were not met by Lyon County or the State of Nevada in 2001.
- The HP 2010 objectives for age-adjusted mortality for infant mortality, neonatal infant mortality, post-neonatal mortality, and prostate cancer were met in Lyon County but not the State of Nevada in 2001.
- In 2001, the HP 2010 objectives for age-adjusted mortality for chronic lower respiratory disease and diabetes mellitus were met in Lyon County and the State of Nevada.

¹Within the first year

²Within the first 28 days of life

³Between 28 days of life and 1 year

	Donlike		, , ,	Age C	Period (1999-2 Group	,	
	Ranking	< 1	1-14	15-24	25-44	45-64	> 65
	Total Deaths	NA ¹	NA ¹	6	31	122	456
	1 st	Others ²	Unintentional Injuries	Suicide, Others ² , Unintentional Injuries	Unintentio nal Injuries	Cancer	Cancer
	2 nd		Cancer		Suicide	Heart Disease	Heart Disease
	3 rd				Heart Disease	Others ²	Others ²
>	4 th				Liver Disease ⁴	Unintentional Injuries	Respiratory Disease ³
LYON COUNTY RESIDENTS	5 th				Cancer, Others ²	Respiratory Disease ³	Stroke
	6 th				Stroke	Diabetes	Diabetes
	7 th					Liver Disease ⁴	Kidney Disease ⁵
	8 th					Homicide, Suicide	Unintentional Injuries
	9 th					Influenza and Pneumonia, Septicemia	Alzheimer's diseas
	10 th						Influenza and Pneumonia
	Total Deaths	386	180	406	2,081	6,562	20,083
	1 st	Others ²	Unintentional Injuries	Unintentional Injuries	Unintentional Injuries	Cancer	Heart Disease
	2 nd	Unintentio nal Injuries	Others ²	Homicide, Suicide	Others ²	Heart Disease	Cancer
	3 _{rd}	Heart Disease	Heart Disease, Homicide, Cancer	Others ²	Suicide	Others ²	Others ²
	4 th	Septicemia	Septicemia	Cancer	Heart Disease	Unintentional Injuries	Respiratory Disease ³
NEVADA RESIDENTS	5 th	Homicide, Influenza and Pneumonia	Suicide	Heart Disease	Cancer	Liver Disease ⁴	Stroke
Z Ä	6 th	Stroke	Influenza and Pneumonia, Stroke, Respiratory Disease ³	Influenza and P neumo nia	Homicide	Respiratory Disease ³	Influenza and Pneumonia
	7 th	Cancer, Kidney Disease ⁵	Kidney Disease ⁵	Diabetes, Septicemia	HIV	Suicide	Kidney Disease ⁶
	8 th	Respiratory Disease ³ , HIV		HIV, Stroke, Respiratory Disease ³	Liver Disease ⁴	Stroke	Septicemia
	9 th			Liver Disease ⁴	Stroke	Diabetes	Alzheimer's Disea
	10 th				Diabetes	Septicemia	Diabetes

Accidents and suicide were the leading causes of death in the 1-14, 15-24 and 25-44 age groups in Humboldt County for 1999-2000.

Note:

"NA" indicates data that is unavailable due to cell size less than 5. See technical notes for data confidentiality.


"Others" represents causes of death other than the '5 leading causes of death including heart disease, cancer, stroke, chronic lower respiratory disease, accidents, influenza and preumonia, diabetes mellitus, HIV diseases, sucide, chronic liver diseases and cirrhosis, nephritis, nephrotic syndrome and nephrosis, septicemia, Alzheimer's Disease, homicide & legal intervention, and athersclerosis


"Respiratory Disease" represents chronic lower respiratory diseases.


"Liver Disease" represents chronic liver disease and cirrhosis.


"Kidney Disease" represents chronic liver disease and cirrhosis.


CHRONIC DISEASES: CONDITIONS AND RISK FACTORS














- Lyon County had a higher hospital admission rate for flu and pneumonia, COPD, and heart disease than the State of Nevada. Lyon County also had a higher percentage of male smokers, binge drinkers, have higher blood pressure, and do not check their cholesterol more than those across the State of Nevada.
- In the Nevada BRFSS 2001 survey, 2,570 people (1,307 male, 1,263 female) were included. Out of the 2,570 people, 97 lived in Lyon County (53 male, 44 female).
- In the Nevada BRFSS 2000 survey, 2,100 people (1,044 male, 1,056 female) were included. Out of the 2,100 people, 77 lived in Lyon County (44 male, 33 female).
- For alcohol beverage consumption rate, no US nationwide data and HP 2010 targets were available
- For physical activity and fitness, no US nationwide data were available

INFECTIOUS DISEASES

TABLE 9 Reported Infectious Disease Case Rates per 100,000 Population, 1999-2001

Infectious Diseases	Lyon County			Nevada			Healthy People	
	1999	2000	2001	1999	2000	2001	2010 Targ	ets
Acpuired Immunodeficiency Syndrome (AIDS)	⁴ NA	0.0	0.0	12.1	13.3	10.5	1.0	*
Human Immunodeficiency Virus (HIV) - Not yet AIDS	0.0	⁴ NA	⁴ NA	9.3	13.6	12.2	Not Availabl	е
Chlamydia	102.5	103.7	158.1	145.1	189.0	227.2	170.0 ¹	*
Gonorrhea	⁴ NA	⁴ NA	⁴ NA	61.3	73.2	82.8	19.0	
Syphilis (primary & secondary)	0.0	0.0	0.0	0.2	0.2	0.4	0.2	*
Hepatitis A	⁴ NA	⁴ NA	0.0	6.8	4.2	3.3	4.5	*
Hepatitis B	⁴ NA	0.0	0.0	2.8	2.6	2.4	2.4-5.1 2	*
Hepatitis C	0.0	⁴ NA	0.0	0.5	8.0	0.4	1.0	*
Mumps	0.0	0.0	0.0	0.2	0.3	0.2	0.0	*
Pertussis	0.0	⁴ NA	⁴ NA	0.7	0.7	1.9	See note ³	
Rubella	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*
Meningitis (Bacteria)	0.0	⁴ NA	⁴ NA	1.2	2.3	1.2	8.6	
Meningococcal disease	⁴ NA	0.0	0.0	0.4	0.2	0.4	1.0	*
Tuberculosis	0.0	0.0	⁴ NA	4.5	4.4	4.5	1.0	
Campylobacteriosis	⁴ NA	⁴ NA	16.1	6.5	10.2	9.2	12.3	A
E. coli 0157 Diarrhea	⁴ NA	0.0	0.0	1.2	0.7	8.0	1.0	*
Salmonellosis	⁴ NA	50.4	⁴NA	9.4	12.4	9.5	6.8	

Data source: HIV/AIDS Reporting System (HARS), STD-MIS, and National Electronic Telecommunications Surveillance System (NETSS)

Note: 'Prevalence rate per 100,000 population for Chlamydia is HP 2000 target. No HP 2010 target for prevalence rate per 100,000 population for Chlamydia is available

 2 HP 2010 target is 2.4, 5.1, and 3.8 cases per 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 19-24, 25-39, and 40+, respectively 100,000 population for age groups 100

³HP 20 10 target is 2,000 cases nationwide for children under 7 years of age. No HP 20 10 target rate is available ⁴NA indicates data that is unavailable due to cell size less than 5. See technical notes for data confidentiality.

★ Indicates "HP 2010 tareget was met" for 2001 for the county

▲ Indicates "HP 2010 tareget was not met" for 2001 for the county

- Data presented in the table only reflects reported cases. Some diseases such as Hepatitis may be very under-reported indicating a need for increased surveillance.
- In 2001 Lyon County met HP 2010 targets for AIDS, Chlamydia, Syphilis, Hepatitis A, Hepatitis B, Hepatitis C, Mumps, Rubella, Meningococcal disease, and E. coli 0157.
- In 2001 Lyon County did not meet HP 2010 target for Campylobacteriosis.
- HP 2010 objectives were not reviewed for those infectious diseases for which in 2001 there were fewer than 5 cases. These were Gonorrhea, Pertussis, Meningitis, Tuberculosis, and Salmonellosis.

INJURIES

TABLE 10 Injury Death Rate per 100,000 Population, 1999-2001

	Year	Lyon County	Nevada	Healthy People 2010 Targets	
	1999	¹NA	8.2	3.0	
Homicide	2000	¹ NA	6.2	3.0	
	2001	6.0	8.8	3.0	
	1999	¹ NA	20.6	5.0	
Suicide	2000	36.3	19.2	5.0	
	2001	20.7	18.2	5.0	
Motor Vehicle Injuries	1999	17.5	15.0	9.2	
	2000	15.4	13.2	9.2	
	2001	16.4	15.3	9.2	

Data source: Bureau of Health Planning and Statistics, Nevada State Health Division, 2002

- Death rates per 100,000 population for Lyon County and Nevada and HP 2010 targets are age-adjusted rates (year 2000 standard population)
- In 2001, neither Lyon County nor the State of Nevada reached the HP 2010 targets for homicide, suicide, or motor vehicle injuries.


[★] Indicates "HP 2010 tareget was met" for 2001 for the county

[▲] Indicates "HP 2010 tareget was not met" for 2001 for the county

¹NA indicates data that is unavailable due to cell size less than 5. See technical notes for data confidentiality.

PREVENTIVE SERVICES USE


IMMUNIZATION COVERAGE LEVELS IN CHILDREN



Data source: Bureau of Community Health, Nevada State Health Division, 2002

- The data for Lyon County is from the public health clinic only. It does not reflect the complete vaccination coverage level in Lyon County.
- The data for Nevada and the US were obtained from the National Immunization Survey for Children 19-35 months of age. Data has not vet been released for 2002.
- The Healthy People 2010 target is for children 19-35 months of age.

ADULT PREVENTIVE SERVICES USE



Data source: Nevada State Behavioral Risk Factor Surveillance System (BRFSS), 2000 & 2001, provided by the Bureau of Health Planning and Statistics, Nevada State Health Division, 2002

Note:

MAM: Mammogram for women 40 years and older in preceding 2 years (2000 BRFSS)

PAP: Pap smears for adult women (2000 BRFSS)

PNEUMO: Pneumoccal pneumonia vaccination for adults (2001BRFSS)

FLU: Influenza vaccination for adults in the past 12 months (2001 BRFSS)

- In the Nevada BRFSS 2001 survey, 2,570 people (1,307 male, 1,263 female) were Out of the 2,570 included. people, 97 lived in Lyon County (53 male, 44 female).
- In the Nevada BRFSS 2000 survey, 2,100 people (1,044 male, 1,056 female) were included. Out of the 2,100 people, 77 lived in Lyon County (44 male, 33 female).
- Lyon County and the State of Nevada had very low self-reported adult vaccination coverage fro pneumonia influenza and compared to the HP 2010 target.

^{*} Four or more doses of Diphtheria and Tetanus toxoids and Pertussis vaccine, 3 or more doses Poliovirus Vaccine, and one or more doses of Measles-Mumps-Rubella vaccine

MENTAL HEALTH


There are 18 clinics that comprise the Mental Health Rural Clinics service delivery system. Each clinic has a combination of psychiatrist(s), psychologists, clinical social workers, mental health counselors, psychiatric caseworkers, and support staff. Each clinic provides an array of mental health services on an outpatient basis such as individual, couple, and family therapy, group therapy, medication clinic, service coordination, psychological testing, psychosocial rehabilitation, housing services, emergency services, and consultation and education. Many clinics also have substance abuse counselors.

There are four Mental Health Clinics in Lyon County, in Yerington, Dayton, Fernley, and Silver Springs. The Elko County Mental Health Clinics also serve clients from Eureka County.

TABLE 11 Mental Health Case Loads in Lyon County, Fiscal Years 2001 & 2002

	Fiscal Year 2001	Fiscal Year 2002
Average Monthly Active Cases	698	713
New Admissions	365	368
Total Admissions	461	505

Data source: Division of Mental Health and Developmental Services, Rural Clinics Community Outpatient Services, 2002



Data source: Division of Mental Health and Developmental Services, Rural Clinics Community Outpatient Services, 2002

TECHNICAL NOTES

RACE AND ETHNICITY

In this report, "Native" refers to American Indian, non-Hispanic populations; "Asian" refers to Asian/Pacific Islander, non-Hispanic populations; "Black" refers to African American, non-Hispanic populations; "White" refers to White, non-Hispanic populations; "Hispanic" includes all races with a Hispanic ethnic origin. No duplicate counting exists.

2. POPULATION DATA

All Lyon County and Nevada population data were based on the database established by the Nevada State Demographer's Office and provided by the Bureau of Health Planning and Statistics, Nevada State Health Division.

CRUDE RATE

Crude Death Rate = Number of Deaths / Population x 1,000 or 100,000

(This rate calculation was applied to infant mortality rate, neonatal mortality rate, and post-neonatal mortality rate)

Crude Incidence Rate = Number of New Cases of Specific Disease / Population x 100,000 (This rate calculation was applied to the rate of infectious diseases per 100,000 population)

4. AGE-AJUSTED MORTALITY RATE

Age-Adjusted Mortality Rate = Total Expected Number of Deaths / Total Standard Population x 100,000 (This rate calculation was applied to the mortality rate of leading causes of death and injuries in this report. Health People 2010 targets for mortality rates of leading causes of death and injuries are also age-adjusted rates. For all three-year's, 1999-2001 age-adjusted rate calculations, the age was adjusted to the year 2000 standard population.)

5. DATA CONFIDENTIALITY

According to the data confidentiality policy of the Nevada State Health Division, sensitive cases (number of reported cases equal to or less than 5) are not allowed to be reported for general publication. Further information for internal use can be provided by the Bureau of Community Health upon request.

SAMPLE SIZE FOR BRFSS IN LYON COUNTY

In the Nevada BRFSS survey, 77 and 97 Lyon County residents participated in the survey in 2000 and 2001 respectively. The sample size may not be ideal to represent Lyon County's population and caution should be used when interpreting BRFSS survey responses.

7. POVERTY

How the Census Bureau Measures Poverty

Following the Office of Management and Budget's (OMB) Statistical Policy Directive 14, the U.S. Census Bureau uses a set of money income thresholds that vary by family size and composition to determine who is poor. If a family's total income is less than that family's threshold, then that family, and every individual in it, is considered poor. The poverty thresholds do not vary geographically, but they are updated annually for inflation using the Consumer Price Index (CPI-U). The official poverty definition counts money income before taxes and does not include capital gains and noncash benefits (such as public housing, Medicaid, food stamps). Poverty is not defined for people in military barracks, institutional group quarters, or for unrelated individuals under age 15 (such as foster children). They are excluded from the poverty universe – that is, they are considered neither as "poor" nor as "nonpoor."

Source: Joseph Dalaker and Bernadette D. Proctor, U.S. Census Bureau, Current Population Reports, Series P60-210, <u>Poverty in the United States</u>: <u>1999</u>, U.S. Government Printing Office, Washington, DC, 2000.

REFERENCES

Bureau of Health Planning and Statistics and Center of Applied Research. *Nevada Behavioral Risk Factor Surveillance Survey Time Trend Analysis: 1992-2001.* Department of Human Resources, Lyon County, Nevada: State Health Division. April 2001.

Bureau of Health Planning and Statistics. *Nevada Vital Statistics 1999.* Department of Human Resources, Lyon County, Nevada: State Health Division. February 2001.

CDC. Nevada 2000 State Health Profile. Atlanta, GA: US Department of Health and Human Services, CDC, 2000.

Eberhardt MS, Ingram DD, Makuc DM, et al. *Urban and Rural Health Chartbook. Health, United States, 2001.* Hyattsville, Maryland: National Center for Health Statistics. 2001.

Nevada State Demographer. Nevada July 1, 2000 Population Estimate from Nevada Demographer (Based on Census 2000, April 1, 2000 Estimates, Adjusted for Other and Two or More Races). 2001.

U.S. Department of Health and Human Services. *Healthy People 2010.* 2nd ed. With Understanding and Improving Health and Objectives for Improving Health. 2 Vols. Washington, DC: U.S. Government Printing Office, November 2000.